



## ELBOW WALL LIGHT


Technical specifications



**Narrow**



**Wide**



**Outdoor**

## ELBOW WALL LIGHT



### OVERALL DIMENSIONS

#### I. NARROW


H 205MM x D 95MM x W 100MM  
H 8.07IN x D 3.74IN x W 3.93IN

#### II. WIDE

H 205MM x D 95MM x W 130MM  
H 8.07IN x D 3.74IN x W 5.11IN

#### III. OUTDOOR

H 260MM x D 118MM x W 130MM  
H 10.23IN x D 4.64IN x W 5.11IN




## MATERIALS

### I. METAL



Brass



Blackened



Aluminium

### WEIGHT

#### I. NARROW

Aluminium  
(700G / 24.6oz)

Brass / Blackened  
(1,500G / 52.91oz)

#### II. WIDE

Aluminium  
(750G / 26.4oz)

Brass / Blackened  
(1,550G / 56.43oz)

#### III. OUTDOOR

Aluminium  
(1,000G / 35.27oz)

Brass / Blackened  
(2,500G / 88.18oz)

### PACKAGING

Recycled Cardboard  
H 125MM x L 200MM x W 200MM

## CLEANING INSTRUCTIONS

Before cleaning, lighting fixtures must be turned off. Unscrewed the face from the mounting plate for finer cleaning. Whilst cleaning please take care and use the gloves provided.

### I. METAL




The metal used for our range oxidise with age and environment, both of which contribute to the evolution of a natural patina. If you favour the original bright finish of your pieces, this is easily restored by use of polishing solution - we recommend Braso or Silvo depending on the metal in question - applied with a soft, clean cloth.

Because each object is cast in small batches, slight variations will occur from one individual piece to another. Production marks may include slight pour ripples or surface pitting, which imprint every item with a unique character.

### UPDATED


01 April 2026

ELBOW WALL LIGHT DIMENSION





W

W



W




Elbow Narrow  
W: 100mm  
H: 200mm  
D: 95mm

Elbow Wide  
W: 130mm  
H: 200mm  
D: 95mm

Outdoor Elbow  
W: 130mm  
H: 260mm  
D: 118mm

## ELBOW WALL LIGHT (NARROW & WIDE)



### PRODUCT SPECIFICATIONS

#### AU / UK / EU

**LIGHTBULB TYPE**  
5W (Supplied)

**FITTING DESCRIPTION**  
G9

**SUGGESTED LUMEN RATING**  
400LM

**WATTAGE**  
5w Equiv 50w Incandescent

**KELVIN RATING**  
2700k-3000k Warm White

**VOLTAGE**  
220-240V / 60HZ AC

**DIMMABILITY**  
Yes (Dimmer not supplied)

**HARDWIRED LAMPS MUST BE INSTALLED BY A PROFESSIONAL.**

#### US / JPN

**LIGHTBULB TYPE**  
5W (Not supplied)

**FITTING DESCRIPTION**  
G9

**SUGGESTED LUMEN RATING**  
400LM

**WATTAGE**  
5w Equiv 50w Incandescent

**KELVIN RATING**  
2700k-3000k Warm White

**VOLTAGE**  
110-120V / 60HZ AC

**DIMMABILITY**  
Yes (Dimmer not supplied)

**HARDWIRED LAMPS MUST BE INSTALLED BY A PROFESSIONAL.**

#### LISTED PARTS \*

UL Lamp Holder	E3810
UL Cord	ELBZ . E465216
Canda	ELBZ . E465216


# ELBOW WALL LIGHT J-BOX INFO

Elbow Wall Light  
Junction Box Information


Please Note:

We do not supply junction boxes with the Elbow wall light.

The correct junction box should be sourced by your installing contractor, using the dimensions labeled below.



## ELBOW WALL LIGHT (OUTDOOR)



## PRODUCT SPECIFICATIONS

### AU / UK / EU

**LIGHTBULB TYPE**  
5W (Supplied)

**FITTING DESCRIPTION**  
GU10

**SUGGESTED LUMEN RATING**  
400LM

**WATTAGE**  
5w Equiv 50w Incandescent

**KELVIN RATING**  
2700K-3000K Warm White

**VOLTAGE**  
220-240V / 60HZ AC

**DIMMABILITY**  
Yes (Dimmer not supplied)

**HARDWIRED LAMPS MUST BE INSTALLED  
BY A PROFESSIONAL.**

### US / JPN

**LIGHTBULB TYPE**  
5W (Not supplied)

**FITTING DESCRIPTION**  
GU10

**SUGGESTED LUMEN RATING**  
400LM

**WATTAGE**  
5w Equiv 50w Incandescent


**KELVIN RATING**  
2700K-3000K Warm White

**VOLTAGE**  
110-120V / 60HZ AC

**DIMMABILITY**  
Yes (Dimmer not supplied)

**HARDWIRED LAMPS MUST BE INSTALLED  
BY A PROFESSIONAL.**

ELBOW WALL (OUTDOOR)



**\*THE OUTDOOR ELBOW WALL LIGHT IS SUPPLIED WITH IP54 GU10 HOUSING & DOWNLIGHT MOUNTED TO AVOID WATER POOLING INSIDE THE LIGHTING**

**Measurements in MM**

**\*INSTALL GUIDE AVAILABLE IN SEPARATE DOCUMENTS**