



SCOOP LIGHT 165MM & 330MM

Technical specifications



165MM




330MM

SCOOP LIGHT



OVERALL DIMENSIONS

- I. 165MM
H 180MM × D 120MM × W 165MM
H 7.1IN × D 4.7IN × W 6.5IN
- II. 330MM
H 180MM × D 120MM × W 330MM
H 7.1IN × D 4.7IN × W 13IN



MATERIALS

I. METAL

-  Aluminium
-  Brass
-  Blackened

WEIGHT

- I. 165MM
Aluminium (650g / 22.9oz)
Brass / Blackened (2,350g / 82.9oz)
- II. 330MM
Aluminium (1,300g / 45.8oz)
Brass / Blackened (4,700g / 165.8oz)

PACKAGING

- Recycled Cardboard
H 145MM × L 440MM × W 400MM

CLEANING INSTRUCTIONS

Before cleaning, lighting fixtures must be turned off and unplugged from mains electricity. Whilst cleaning please take care and use the gloves provided.

I. METAL


The metal used for our range oxidise with age and environment, both of which contribute to the evolution of a natural patina. If you favour the original bright finish of your pieces, this is easily restored by use of polishing solution - we recommend Braso or Silvo depending on the metal in question - applied with a soft, clean cloth.

Because each object is cast in small batches, slight variations will occur from one individual piece to another. Production marks may include slight pour ripples or surface pitting, which imprint every item with a unique character.

UPDATED

December 16, 2025

SCOOP LIGHT



PRODUCT SPECIFICATIONS

AU / UK / EU

LIGHTBULB TYPE
9W LED max (supplied)

FITTING DESCRIPTION
Dual Holder Edison Ø26MM (E26)

SUGGESTED LUMEN RATING
250LM

WATTAGE
3.3w Equiv 25w Incandescent

KELVIN RATING
2700k Warm White

VOLTAGE
230-240v / 50-60hz

DIMMABILITY
Bulb dependant

IF THE SUPPLIED FLEXIBLE CORD IS DAMAGED, REPLACE WITH 2 CORE SHEATHED TYPE ONLY.

US / JPN

LIGHTBULB TYPE
9W LED max (not supplied)

FITTING DESCRIPTION
Dual Holder Edison Ø26MM (E26)

SUGGESTED LUMEN RATING
250LM

WATTAGE
3.3w Equiv 25w Incandescent

KELVIN RATING
2700k-3000k Warm White

VOLTAGE
110-120v / 60hz ac

DIMMABILITY
Bulb dependant


IF THE SUPPLIED CORD IS DAMAGED, REPLACE WITH 2 CORE SHEATHED TYPE ONLY. HARDWIRED LAMPS MUST BE INSTALED BY A PROFESSIONAL.

HS CODE LAMPS / LIGHT FITTINGS
9405.40.8440

HS CODE CORD SETS / POWER SUPPLY
ELBZ.E465216


LISTED PARTS *	
UL Lamp Holder	E3810
UL Cord	ELBZ . E465216
Canda	ELBZ . E465216

SCOOP LIGHT 165MM J-Box



165mm Scoop - Standard Install

SCOOP LIGHT 330MM J-Box



330mm Scoop - Standard Install