



SOLUNE WALL LIGHT

TECHNICAL SPECIFICATIONS


UPDATED 23 JULY 2026

SOLUNE WALL LIGHT




OVERALL DIMENSIONS

H 120MM x D 205MM x W 190MM
H 4.72IN x D 8.07IN x W 7.48IN



MATERIALS

I. METAL

-  Brass
-  Blackened
-  Stainless Steel

WEIGHT

Bronze / Blackened
(3,000G / 105.82oz)

Stainless Steel
(2,700G / 95.23oz)

PACKAGING

Recycled Cardboard
H 125MM x L 200MM x W 200MM

CLEANING INSTRUCTIONS

Before cleaning, lighting fixtures must be turned off. Unscrewed the face from the mounting plate for finer cleaning. Whilst cleaning please take care and use the gloves provided.

I. METAL

The metal used for our range oxidise with age and environment, both of which contribute to the evolution of a natural patina. If you favour the original bright finish of your pieces, this is easily restored by use of polishing solution - we recommend Braso or Silvo depending on the metal in question - applied with a soft, clean cloth.

Because each object is cast in small batches, slight variations will occur from one individual piece to another. Production marks may include slight pour ripples or surface pitting, which imprint every item with a unique character.

MATERIALS



Bronze



Blackened



Stainless Steel


ORIENTATION



Uplight




Downlight



Technical Specifications

LIGHTBULB TYPE 9W LED max (supplied)	HS CODE LAMPS / LIGHT FITTINGS 9405.10.20
FITTING DESCRIPTION Edison Ø14MM (E14)	HS CODE CORD SETS / POWER SUPPLY ELBZ.E465216
SUGGESTED LUMEN RATING 250LM	
WATTAGE 3.3w Equiv 25w Incandescent	HARDWIRED LAMPS MUST BE INSTALED BY A PROFESSIONAL.
KELVIN RATING 2700k Warm White	
VOLTAGE 220-240v / 50-60HZ	
DIMMABILITY No	

SOLUNE WALL LIGHT with J-BOX Cover – US / CAN / JPN



Please Note:
We do not supply junction boxes with the conical wall light.

The correct junction box should be sourced by your installing contractor, using the dimensions supplied in specification sheet.

A 5.5 inch round junction box cover can be supplied to match the light finish at an additional fee.

Technical Specifications

LIGHTBULB TYPE	9W LED max (not supplied)	HS CODE LAMPS / LIGHT FITTINGS	9405.10.20
FITTING DESCRIPTION	Edison Ø12MM (E12)	HS CODE CORD SETS / POWER SUPPLY	ELBZ.E465216
SUGGESTED LUMEN RATING	250LM		
WATTAGE	3.3w Equiv 25w Incandescent	HARDWIRED LAMPS MUST BE	INSTALED BY A PROFESSIONAL.
KELVIN RATING	2700k-3000k Warm White		
VOLTAGE	110-120v / 60HZ AC		
DIMMABILITY	Bulb dependant		

SOLUNE BACK PLATE MEASUREMENTS

